்பு HOERBIGER

Accessories

Cap Plugs


Cap Plugs

Material:

wear-free plastic, oil- and ageing resistant

Installation:

- place cap plug in screw recesses.
- position plastic plate on top and drive caps in evenly.
- remove any protruding burr.



Dimensions (mm), Order Instructions for Cap Plugs

order matractions for cap rings				
for size	Dime	nsion	Order No.	
	Zyl. Schr. DIN 912	ØD		
12	M3	6	20997	
15	M4	8	20524	
20	M5	10	20525	
25	M6	11	20526	
35	M8	15	20841	
45	M10	18	20842	

Ordering information:

When ordering single or double rails, the required number of caps will be included in the scope of supply.

Limit Stop Screw


Limit Stop Screw

The sole purpose of the limit stop screws is to prevent removal of the cassette. They are screwed in to the thread (option) of the guide rails, a rubber cap placed on top dampens the stop in each case but is unable to absorb the energy produced (resulting damage to the plastic wiper can occur).

For rail lengths where the initial mounting distance of the limit stop screw is less the L11min, the drill pattern will move up one half of the standard bore length.

Material:

Chlorbutadien Rubber (Cr), black



Dimension (mm), Order Instructions for Limit Stop Screws

for		[Dimensio	n		Order No.		
size	d	D	K	L11 min.	Р			
12	M5	12	8	15	6	20998		
15	M5	12	8	16	6	20527		
20	M5	12	8	17	6	20527		
25	M6	15	10	20.5	7.5	20528		
35	M8	19	13	26.5	9.5	20529		
45	M10	24	16	33	12	20844		

Dimensions in mm



1.Features of the guide system

Aluminium roller guides consist of double rail and roller cassettes resp. individual rail and roller shoe.

Their special features are: light weight, small dimensions, and high speed of displacement. Aluminium roller guides are economical and universal handling components, which are corrosionresistant and cost effective.

With aluminium roller guides the guide rails and cassettes are made of aluminium. The rollers are running in an antifrictional way on ground or drawn raceways from high alloy spring steel. The special O-arrangement of the running rollers guarantees high load capacity from whatever direction

2. Size of the guide system

To select the right size, first the moments and forces acting on the bearing have to be determined.

Recommended safety (with screws quality 8.8): Thrust load: S > 1.2 Tensile load: S > 2.5 Moment load: S > 4.0

Generally the first decision has to be whether the guide system should be built with double rails and cassettes, or whether individual rails with roller shoes, are to be used. Hereby there are a number of variants.

3.Material

The basic body of ORIGA aluminium roller guides from HOERBIGER is made of aluminium

The races consist of tough, high alloy spring or of non-corrosive steel.

By using an aluminium construction the moving mass is reduced, enabling light weight construction with low moving forces and reduced energy consumption.

Dimensions in mm

Nevertheless the integrated ORIGA system sustains high load rating and moment loads.

4. Operating temperature

ORIGA bearing elements from HOERBIGER can be operated within a temperature range from -20° up to +100°C. For other temperatures please consult us.

5. Screwed connections

The units are fixed to the mating structure by the bore holes in the rails and the guides. Hereby the screw quality should be 8.8, washers DIN 433.

To secure the screwed connections we recommend you to use suitable locking means.

Tightening moments

Quality of the srew	Thread	Mom. [Nm]
	М3	1.1
	M4	2.5
	M5	5.0
8.8	M6	8.5
	M8	21.0
	M10	41.0
	M12	71.0

6.Wipers

The races of aluminium roller guides and linear guides are equipped with wipers against coarse environmental contamination.

For rail recess covers see page 11.


7.Slide resistance, adjustment

7.1 Double rail and cassette

Aluminium roller guides are adjusted in such a way that the required stiffness under load is obtained. We recommend that you measure the slide resistance as shown below. However, before doing so the mating struc-ture should be checked for dimensional accuracy and flatness. The cassettes which are mounted on the rails are adjusted clearance - free ex works. This adjusting mode refers to the point on the rail where the cassette moves most smoothly. Adjustment is effected in the non-loaded condition. The indications on the table are referred to this condition.

Technical Informations

General information



Tolerances in the guide system and internal friction may cause an increase of the slide resistance when the adjusted cassette is moved along the stroke path.

All values without wipers.

Settings for the standard and rustproof versions

_			-			
Description	Slide resistance [N]					
Size	12	15	20	25	35	45
Adjust. value	0.2	1.0	1.5	1.5	3.0	3.5
Max. value	0.5	3.0	4.5	3.0	9.0	10.5

Settings for the LOW COST version

Description	Slide resistance [N]					
Size	12	15	20	25	35	45
Adjust. value	0.2	0.5	1.0	1.5	2.0	2.5
Max. value	0.4	1.0	2.0	3.0	4.0	5.0

ு HOERBIGER

Technical Informations

General information

7.2 Double rail and roller cassette

For clearance setting first the screws of the cassette plate are slightly released, afterwards the threaded pin which is integrated in the logitudinal side of the cassette is set. Turning the threaded pin effects a displacement of the roller shoe in relation to the cassette plate.


After tightening of the cassette plate the slide resistance can be checked. Afterwards the mating structure is fixed.

7.3 Single rail and roller shoes

When adjusting the assembly, first indentify the stationary and the adjustable roller shoes. (see drawing 10.2) The roller shoes of the stationary side are aligned to the mating structure and fastened by all screws.

With the roller shoes of the stationary side, all fastening screws are slightly tightened. Clearance setting is effected in the same way as with the cassette.


Principally clearance setting is effected in unloaded condition.



7.4 Centering groove on the stationary side

The roller shoes are provided with centering grooves for better alignment during mounting. To use these, centering shoulders according to the data given below, are required.

Size	Dimension		
	а	b	
12	4.5	9.6	
15	5.0	12.6	
20	7.5	16.1	
25	10.5	17.6	
35	12.5	26.1	
45	15.5	31.1	



8. Running accuracy

The running accuracy is measured from the screw-onsurface of the cassette to the ideal straight line of stroke. It is 0.06 mm.

9.Contact and support surfaces

The contact and support surfaces exert a substantial influence on the function and precision of linear guides. Depending on the functional requirements of the system the mating structure must be machined with the corresponding degree of precision. Machining errors on the mating structure are added to the running errors of the guide system. In order to guarantee troublefree operation we recommend to a max. accumulated deviation of < 0.1 mm per running meter of the guide distance on the mating structure.


Dimensions in mm



10. Design hints

10.1 Double rail and cassette

With the double track arrangement, precise alignment in terms of parallelism and height is necessary.




Technical Informations

General information

10.2 Single rail and roller shoes

Aluminium roller guides consisting of single rails and roller shoes can be varied in the guide width. They are particularly suitable for assembly on profiled aluminium carriers, as their corrosion and temperature behaviour is homogenous.



Jı. HOERBIGER

Technical Informations

Mounting instructions

11. Mounting instructions

The usable load capacity is influenced by the connection between the guide elements and the mating structure.

11.1 Double rails and cassettes


Depending on the load situation double rails should either be screwed or screwed and dowelled, and placed in grooves or against a shoulder. The rails rest against shoulders and are screwed or screwed and dowelled to the mating structure. After final checking of the linearity resp. parallelism the screws are tightened alternately from the center outwards to the given torque. Afterwards, the cassette should be moved over the total stroke distance, if the motion is uniform then the mounting process may be continued.


11.2Stationary and movable rest side

With multitrack arrangement first define the a stationary and movable side of the guide. This way tolerances in parallelism can be best compensated.

With multitrack arrangements the movable side of the bearing is equipped with driver and locking device. The floating slider plate has a stationary and a movable side. The stationary sideprovides the guiding function, the movable side compensates tolerances in parallelism and height.

We recommend that the drive be placed at the stationary side ase this side sustains the driving torque.







11.3 Single rails and roller shoes

Where single rails and roller shoes are used the mating structure takes the function of the slider.

The guide rails are put against the contact shoulder and screwed resp. screwed and dowel-led. After final adjustment of linearity resp. parallelism the screws are tightened alternately starting from the center outwards. Afterwards the slider is moved along the guide path. When the movement is uniform you can procede with mounting.


12. Coupling of guide rails12.1Spacing

Coupled rails with a length over L= 4000 mm are pieced together according to the HOERBIGER standard. Spacing according to the HOERBIGER standard guarantees a uniform bore shape over the whole guide and an optimum utilisation of the guide length.

Technical Informations

Mounting instructions

Pitch according to HOERBIGER standard: e.g. GDL-FD35-11400



12.2 Mounting

Clean contact and mounting surfaces, then place the rails loosely on the guide path one behind the other one. With this the correct sequence of the production numbers has to be kept. (e.g. ...1...2...3...4 etc.).


The marking groove on the lower surface of the rail must always be on the same side.

The complete guide path should be aligned without gaps and lightly fastened, ensuring that joints are precisely aligned.

The joints are to be aligned exactly. This is effected best by means of two auxiliary cylinders (length 200 mm). They are inserted into the raceway at the joints and clamped with a device.

For further mounting procede as described under point 11.

Size	Auxiliary cyl. Ø (mm)
12	11
15	11
20	14
25	16
35	27
45	35



Dimensions in mm

HOERBIGER Size Calculation for Aluminium Roller Guides


We will be pleased to calculate the size of aluminium roller guide you require!

Copy this page, enter the requested technical data and send this page to your local technical adviser or to one of the contact addresses on the last page of this brochure.


Company	
Phone	
Telefax	
email	
Branch	
Department	
Name	
Date	

Order No.

Sketch



- The distance from centre to centre of two cassettes / pairs of roller shoes on a rail
- ** With multi-track arrangement distance of the rails



Loads, Forces, Lever arms

F _x [N]	=
Y _x [mm]	=
Z_x [mm]	=
F _y [N]	=
X_{Y} [mm]	=
Z _y [mm]	=
F _z [N]	=
X _z [mm]	=
Y _z [mm]	=

Environment: (Dirt. Humidity ...)



Information on application

The contents of this catalog are not binding and are only intended for informational purposes and are not to be considered as offer with legal effect. A written confirmation of order from HOERBIGER is authoritative for the conclusion of a contract; this confirmation is given solely under the respective currently applicable HOERBIGER General Terms of Sale and Delivery. These are included in our price list and in the Internet at www.hoerbiger.

All the products presented in this catalog are purely for commercial use. None of the information or contents is appropriate for private consumers. Private consumers cannot place orders based on the information in the catalog. Please contact HOERBIGER for further information.

All the products listed in this catalog are designed for typical pneumatic applications which e.g. are installed in higher-level machines. The recognized technical rules for safe and expert work are to be observed for the use and installation of pneumatic products. The precondition for the use of the products is, unless stated otherwise, correctly prepared compressed air free from aggressive media. Furthermore, the respective regulations of the legislator, the TÜV (Technical Inspection Association), the respective professional associations or the VDE (Association of Electrical, Electronic and Information Technologies) provisions also apply.

The technical data stated in this catalog is to be observed by the user. The data stated may not be exceeded nor fallen short of. If such data is not stated then it may be assumed that there are no such upper or lower limits or restrictions for particular applications. In the case of unusual physical or chemical applications, consultation and clearances are to be obtained from HOERBIGER.

Unless otherwise agreed in individual cases, the customer or end consumer is responsible for the disposal of the ORIGA products. Disposal by HOERBIGER is not included in the price and this would have to be taken into account in the event of any applicable return to and disposal by HOERBIGER.

Technical data and representations

The technical data and illustrations have been compiled with great care and to the best of our knowledge. We cannot assume any guarantee for the up-to-dateness, correctness and completeness of the information. The data and information such as illustrations, drawings, descriptions, dimensions, weights, materials, technical and other performances as well as the products and services described in general product descriptions, HOERBIGER catalogs, brochures and price lists of any type are subject to change and may be modified or updated at any time without prior announcement by HOERBIGER. They are only binding in so far as the contract or confirmation of order expressly refers to them. Slight deviations from such product descriptions are deemed as approved and do not affect the fulfillment of contracts in so far as these are considered acceptable to

This catalog does not contain any guarantees, assured characteristics or agreements on condition by HOERBIGER for the products represented, neither expressly nor implicitly, nor with regard to the availability of the products. Advertising statements regarding quality characteristics, properties or applications of ORIGA products are without legal obligation.

As far as legally permissible, any liability is excluded on the part of HOERBIGER for direct or indirect damage, consequential damage, claims of any type and on any legal basis arising from the use of the information contained in this catalog

Trademarks, copyright and reproduction

The representation of industrial rights such as brands, logos, registered trademarks or patents in this catalog does not include the granting of licenses or rights of use. The use of these is not permitted without the express consent of HOERBIGER. The entire contents of this catalog are the intellectual property of HOERBIGER. Within the meaning of copyright, any unlawful use of intellectual property, even extracts, is prohibited. Reprinting, reproduction and translation (even extracts) are only permitted with the prior written consent of HOERBIGER.

Importance of EU Directives

Various Directives have been issued by the EU Commission in the course of the unification of the single European market; the following Directives are in part of significance for ORIGA products:

- Simple pressure vessels (87/404/EWG, amended by 90/488/EWG and 93/68/EWG)
- Low-voltage electrical equipment (73/23/EWG, amended by 93/68/EWG) Machinery Directive (89/392/EWG, amended by 91/368/EWG, 93/44/EWG and 98/37/EG)
- Pressure Equipment Directive (97/23/EWG)
- Equipment and protective systems intended for use in potentially explosive atmospheres (ATEX Directive, 94/9/EG)
- Electromagnetic Compatibility Directive (EMV Directive, 89/336/EWG, amended by 92/31/EWG)

If a product comes within the scope of application of one of these Guide-lines, then an EU Declaration of Conformity with CE mark (CE for Commu-nauté Européenne) is required. This CE marking does not represent a quality feature but verifies that the conformity assessment procedure specified has been concluded successfully and the protective requirements of the relevant EU Directives have been observed

Products which do not come under any of the above mentioned Directives may not bear the CE mark nor may any manufacturer's declaration according to the EU Machinery Directive or Declaration of Conformity be issued for these products.

If a product may not be CE marked according to the Machinery Directive, it must however be marked if it comes within the scope of application of any other Directive.

The following harmonized standards are applied in the design of ORIGA components and systems:

- DIN EN ISO 12100 Safety of machineryDIN EN 60204.1 Electrical equipment of machines
- DIN EN 983 Safety requirements for fluid power systems and their

The following Directives are of particular significance to HOERBIGER:

- ORIGA products in potentially explosive atmospheres, to which the above mentioned ATEX Directive applies, are treated according to the Directive and CE and EX marked.
- According to the Machinery Directive, ORIGA products are mainly components for installation in machines and therefore do not require an EU Declaration of Conformity with CE mark. HOERBIGER-ORIGA issues a manufacturer's declaration according to the Machinery Directive for these components. This declaration corresponds to a great extent to the Declaration of Conformity with the comment that commissioning is only permitted if the machine or system conforms to the Directives. This manufacturer's declaration impacts neither our product liability based on the product liability law nor warranty assurances according to our General Terms of Sale and Delivery. Neither does the manufacturer's declaration affect our quality assurance measures according to our Quality
- Management Manual nor our quality certification according to 100 9001. According to the Pressure Equipment Directive, ORIGA products are components of low hazard potential, thus most of the products do not come under this Directive. The exceptions to this are maintenance equipment from a certain pressure/volume level onwards. These components are treated according to the Directive if required and bear the CE mark.

ORIGA products are excluded from the following EU Guidelines:

- End-of-life vehicles (2000/53/EG).
- Waste Electronic and Electrical equipment (WEEE, 2002/96/EG) and Restriction on Hazardous Substances (RoHS, 2002/95/EG). Pressure Equipment Directive (97/23/EWG) with the above mentioned
- exceptions

